Add article blocking attribute

Add Article Blocking Attribute To add an attribute, follow these steps:



New Articles Blocking	>	<
Attribute Id *	Attribute Value *	
Blocked Catalogs		
Reason		
	CANCEL SAVE	

If the attribute has existing values, these values are listed in a dropdown menu as shown below:

New Articles Blocking			×
Attribute Id * UA Division	×	Accessories	
Blocked Catalogs		Apparel Footwear	
Reason			
		CANCEL SAVE	

You can select the value you want,

- 2. Click the Attribute Id and select the attribute you want,
- 3. Enter the attribute value,
- 4. Select the catalogs which you want to block the articles from,
- 5. Enter the reason, if you want,
- 6. Click **Save** to add the attribute, a new window opens showing the affected articles as shown below:

G			: C
Article Number ~	Article Name 🗘	Model Number 🗘	Affected Catalogs 0
AND	in Without	88275	Trate Array ST 1.405
	10.071.7 years	1007	1100 Acres 1271-000
100710-08	Statistic Press	10070	110 Atres 121 AT
100710-00	Statistic Parents	10070	100a Array 1270.493
-	10.000 Period	10070	1004-0004-001-000
1079.07	10.07 Sary X	10074	110 Acres 121.00
100710-000	section 4	10174	1000 0110 0110 MI

- 7. Click **Confirm** to add the attribute and close the window.
- 8. Click **Save** to add the attribute and close the window, or **Save and New** to add it and open a new window. The attribute is added to the list.