Add article blocking attribute

Add Article Blocking Attribute To add an attribute, follow these steps:



1. Click , the following window appears:

lew Articles Blocking		×
Attribute Id *	Attribute Value *	
Blocked Catalogs		
Reason		
	CANCEL SAV	E

If the attribute has existing values, these values are listed in a dropdown menu as shown below:

New Articles Blocking			×
Attribute Id * UA Division	×	Accessories	
Blocked Catalogs		Apparel Footwear	
Reason			
		CANCEL SAVE	

You can select the value you want,

- 2. Click the Attribute Id and select the attribute you want,
- 3. Enter the attribute value,
- 4. Select the catalogs which you want to block the articles from,
- 5. Enter the reason, if you want,
- 6. Click **Save** to add the attribute, a new window opens showing the affected articles as shown below:

Affected Articles			×
G			: C
Article Number ~	Article Name 🗘	Model Number 🗘	Affected Catalogs 🗘
-	sufficient.	88275	100 ATTAC 10 100
100000-000	(ABC Frend	1007	100 Array (171.05)
100770-00	Statistic Parent	10070	1000 Server 1275 AN
100710-00	Statistic Parent	10070	100 Acres 1211.00
100710-00	UNITED Particul	10070	100 Acres 171.05
100710-007	10.1072/01/1	10074	1000 Arrow 1212 AVA
100710-000	sectory t	302742	1100 Acres 1212-000
			CANCEL

- 7. Click **Confirm** to add the attribute and close the window.
- 8. Click **Save** to add the attribute and close the window, or **Save and New** to add it and open a new window. The attribute is added to the list.