Generate report

For line plans, different reports can be generated which are based on article attribute values and targets.

To generate reports for the articles you are viewing on the page, click h, reports are displayed as shown below:

G Î	5 / 8	ш	0 of 5 Selected							:	C
Article Nu 0	Article Na 🗘	Status 🗘	AgeGroup 🗘	ProductT 0	Updated _ \sim	Actions	G	Re	eports		1
NN-246470	Basketball Shoes	Active	10	Shoes	්රිJun 2, 2019	÷					
NN-979533	Shirt	Active	20	Shirt	ැට්Jun 2, 2019	:	ARCHITECTURE SUI				
NN-215407	Training Shoes	Active	12	Shoes	්රිJun 2, 2019	:	STYLES	SS19 0	SS20 5	CHANGE	
NN-386283	Tshirt	Active	6-12	Shirts	🖾 Apr 11, 2019	:	ARTICLES	0	0	0.0%	
NN-672218	Running Shoes	Active	12-15	Shoes	🛱 Apr 11, 2019	:	PRODUCTIVITY	\$0	\$ 0	0.0%	
							WHSL REV MARGIN	\$0 \$0	\$ 0 \$ 0	0.0%	
							(50	30	0.0%	
							STYLE INTRO FLOW	Intro Month			
							Style N/CO	Jan	Feb	Mar	
							[Blank]	0	0	0	

Any changes to the articles displayed are reflected on the reports. You can export those reports and save the Excel file on your PC by clicking the **Export** button.

Architecture Summary

	A	В	С	D	E	F	G	Н	
1	ARCHITECTURE SUMMARY								
2		SS19	SS20	CHANGE	TRGT	%TT			
3	STYLES		249						
4	ARTICLES		0						
5	PRODUCTIVITY		0						
6	WHSL REV		0						
7	MARGIN		0						
8									
9									-
	ARCHITECTURE	SUMMARY	\oplus					Þ	•]

Note:

• A configuration is available to manage the seasons for which the report is generated. This configuration is managed by the Trasix Support team.

This report is calculated based on the following logic:

	SS19	SS20	CHANGE	TRGT	% TT
STYLES	Inputted from Targets	Count from Line Builder – total rows	(SS20-SS19)/SS19	Inputted from Targets	(SS20-TRGT)/TRGT
ARTICLES	Inputted from Targets	Sum from Line Builder - total of "Total Articles"	(SS20-SS19)/SS19	Inputted from Targets	(SS20-TRGT)/TRGT
PRODUCTIVITY	Inputted from Targets	WHSL REV/ARTICLES	(SS20-SS19)/SS19	Inputted from Targets	(SS20-TRGT)/TRGT
WHSL REV	Inputted from Targets	Sum of "GMP Grade \$ (Whsl)"	(SS20-SS19)/SS19	Inputted from Targets	(SS20-TRGT)/TRGT
MARGIN	Inputted from Targets	(Sum of "Margin \$ Ext")/(Sum of "GMP Grade \$ (Whsl)"	(SS20-SS19)/SS19	Inputted from Targets	(SS20-TRGT)/TRGT

Style Intro Flow

1	A	В	C	D	E	F	G	Н	1	J	K	L	M	4
1	STYLE INTRO FLOW	Intro Mont	h											
2	Style N/CO	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
3	CO	0	2	() 0	0	0	0) () () ()	0	
4	N	2	0	() 0	0	0	0) () () ()	0	-
5	null	2	0	1	1	1	1	1	1	1 1	1 :	1	1	
6														
7														
8														
9														
1	STYLE IN	TRO FLOW	ARTICLE	E LIFECYCLE	PROD_F	RANK, PLATE	ORM (+) : (•)	177	(A)				Þ

This report is calculated based on the following logic:

- **NEW**: Count from Line Builder where "Style N/CO" = "NEW" and "Intro Month" = "Jan"
- C/O: Count from Line Builder where "Style N/CO" = "C/O" and "Intro Month" = "Jan"

The logic is the same for all the months.

Article Lifecycle

K	J	1	н	G	F	E	D	C	В	A	1
										ARTICLE LIFECYCLE	1
						Pre-Fall Articles	Summer Articles	Spring Articles	6 Month Articles		2
						5	4	6	2	ALL	3
											4
											5
											6
											7
											8
											9
					: 4	PLATFORM 🛞	PROD_RANK,	TICLE LIFECYCLE		STYLE II	8 9

This report is calculated based on the following logic:

- 6 Month Articles: Sum from Line Builder the total of "6 Month Articles"
- Spring: Sum from Line Builder the total of "Spring Articles"
- Summer: Sum from Line Builder the total of "Summer Articles"
- Prefall: Sum from Line Builder the total of "Pre-Fall Articles"

Product Ranking, Platform, and Subsilhouette Distribution

1	A	B	C	D	E	F	G	1	1	1	J	K	L	M	N	0	P	
1	PRODUCT RANKING, PLA	FORM AND	SubSilhou	ette														
2	ProductRanking	Platform	5/8th	[Blank]	Ball	Boxer	Classic	Crew	Neck Full		High Top	Hipster	Knee	Low Cut	Low Top	Mid Top	Mock	N
3	best	SHOP	(0 (D	0	0	0	0	0) 1	1	L	1	1 () ()	0
4	Better	SHOP	(0 (D	0	0	0	0	C) () ()	0 0	0 1	1 1	L	1
5	GOOD	SHOP		0 (D	0	0	2	2	1	0) ()	0 (0 0) ()	1
6	null	null		3 162	2	3	3	3	3	3	3 3	3	3	3	3 3	3 3	3	3
7	015910 m.c.																	
8																		
9																		
10																		
11																		
12																		
12					-				ROD_R				_	_	_			

This report is calculated based on the following logic:

Product ranking for platform #1 and SubSilhouette #1:

- Best: Count of rows within Line Builder that fit criteria (Best, Platform #1, Class #1)
- **Better**: Count of rows within Line Builder that fit criteria (Better, Platform #1, Class #1)
- Good: Count of rows within Line Builder that fit criteria (Good, Platform #1, Class #1)

. /	Α	В	С	D	E	F	G	Н	I	
1	PRODUCT SEGMENTATION	Product Se	gmentation	1						
2	ProductRanking	null	ProdSeg1	ProdSeg2						
3	best	0	4	0						
4	Better	0	0	6						
5	GOOD	0	5	0						
6	null	234	0	0						
7										
8										
9										-
	PRODUCT SEGM	ENTATION	PROD_R	ANK, PLAT	. 🕂 :	4			Þ	·

Product Segmentation

This report is calculated based on the following logic:

Product ranking:

- **Best**: performance is Count of rows within Line Builder that fit criteria (Best, Performance)
- **Better**: performance is Count of rows within Line Builder that fit criteria (Better, Performance)
- Good: performance is Count of rows within Line Builder that fit criteria (Good,

Performance)

Product Ranking, Platform and Segment Distribution

1	А	В	С	D	E	F	G	Н	I (
1	PRODUCT RANKING,	PLATFORM AND SEGMENT DISTRIBUTION	Customer	Segmentati	on					
2	ProductRanking	Platform	SPG	Mall	Dept	DTC	Specialty			
3	best	SHOP	0	0	0	0	0			
4	Better	SHOP	0	0	0	0	0			
5	GOOD	SHOP	0	0	0	0	0			
6	null	null	1	2	3	4	5			
7										
8										
9										Ŧ
	· → … PROD_RA	ARCHITECTURE	SUMMARY	🕂 :	•					

This report is calculated based on the following logic:

Product ranking for platform #1 under customer segmentation #1:

- **Best**: Count of rows within Line Builder that fit criteria (Best, Platform #1, Segment #1)
- **Better**: Count of rows within Line Builder that fit criteria (Better, Platform #1, Segment #1)
- **Good**: Count of rows within Line Builder that fit criteria (Good, Platform #1, Segment #1)